

T

1

1

N

R

3

W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Surveyed by W^m Harris 1816,
& John Milroy, 1819.

[illegible]

T. N. 11. N. R. N. 37. 2nd Mer. Ind.

22.50	Loa Brook 20 miles mid. Leominster M.
40.00	Set a temp. 7/4 cu post
80.00	Set a temp. 7/4 post for the cu of cu 35 T 36. Killy Linton Post.
East	On the line On the South Boundary of cu. 36 T. 11. N. R. 37.
13.50	Loa Brook 40 miles mid. Leominster M.
40.00	Set a temp. 7/4 cu post.
80.00	Shack the cu of T. 10 N. 11. N. R. 21 37. Sunde and Linton same.
West	On the line On the South Boundary of cu. 36 T. 11. N. R. 37.
40.00	Set a temp. 7/4 cu post on the line from which Walnut 9 in dist. from. N 59 W 22 1/2 mi. dist. 8 a Buckeye 12 " " " S 84 E 81 " "
80.00	Set the temp. 7/4 post on the line for the cu of cu 35 T 36. from which Sugar 14 in dist. from. S 5 E 17 mi. dist. and as a No 12 " " " N 15 W 30 " "
West	On the line On the South 73 1/2 of cu. 35, T. 11. N. R. 37.
40.00	Set the temp. 7/4 cu post on the line from which Edm 24 in dist. from. S 6 E 23 mi. dist. 8 a Walnut 12 " " " S 4 W 32 " "
80.00	Set a post for the cu of cu 34 T 35. on the line from which Buck 16 in dist. from. T 3 E 5 mi. dist. and as a No 12 " " " N 12 W 30 " "
West	On the line On the South 73 1/2 of cu. 34 T. 11. N. R. 37.
40.00	Set the temp. 7/4 cu post on the line in fallen timber

T. N. 11. N. R. N. 37. 2nd Mer. Ind. 485

80.00	Set the temp. 7/4 cu post on the line for the cu of cu 35 T 36 from which Buck 10 in dist. from. N 81 E 52 mi. dist. and as a No 16 " " " S 45 W 32 " "
West	On the line On the South Boundary of cu. 33. T. 11. N. R. 37.
40.00	Set the temp. 7/4 cu post on the line from which Buck 6 in dist. from. N 30 W 83 mi. dist. 8 a Sugar 14 " " " S 45 E 34 " "
80.00	Set a post on the line for the cu of cu 32 T 33. from which Sugar 14 in dist. from. N 19 E 30 mi. dist. and as a No 12 " " " S 43 W 14 " "
West	On the line On the South Boundary of cu. 32. T. 11. N. R. 37.
40.00	Set the temp. 7/4 cu post at the line from which Buck 9 in dist. from. S 5 W 21 mi. dist. 8 a Sugar 14 " " " N 10 E 23 " "
80.00	Set a post temp. 7/4 post on the line for the cu of cu 31 T 32. from which Buck 10 in dist. from. N 49 E 17 mi. dist. 8 a No 15 " " " S 40 W 31 " "
West	On the line On the South Boundary of cu. 31. T. 11. N. R. 37.
40.00	Set the temp. 7/4 cu post from which Dogwood 3 in dist. from. S 5 E 2 mi. dist. 8 a Sugar 12 " " " N 50 W 15 " "
80.00	Set the post cu of T. 11 N. 11. N. R. 37 1/2 W. May 3. 1811
North	On the East Boundary of cu. 36. T. 11. N. R. 37
21.00	Loa Brook 50 miles mid. Leominster M.

T. N. N. R. N. 37. 2nd Mr. Ind.

Ch. Upr.
40,00 Set apart for farm which
Blackberry in dist. trees. S. E. 31. units east, 8th
Elev. 14 " " " S49 77.29 " "
80,00 Set apart for the cor of sec. 25 & 36. from which
Walnut, 20 in dist. trees. S39 77.20 units east, 8th
W. Oak 30 " " " S44 E. 1 " "
Sands R. 1/2 Red bottom land; Timber Sugar,
Ash & Walnut, 1/2 mile. Red lands, " Birch,
Sugar & Walnut.

North On the East Boundary of sec. 35 T. 11. N. R. 37.
40,00 Set apart for farm which
Sugar, 14 in dist. trees. S81 E. 40 units east, 8th
No. 16 " " " S86 77.19 " "
59.12 Intersect the N.E. Boundary of Harrison's Purchase
Set apart for the cor of sec. 25 & 30 T. 11. N. R. 37
from which Birch 14 in dist. trees. S34 77.40 units east
and a No. 20 " " " S53 E. 30 " "
May 2. 1811 Surveyed by

James Holmes Del.

North On the East Boundary of sec. 25 T. 11. N. R. 37.
Continued
20.28 Set apart for the cor of sec. 24 & 25 (from which)
Sugar, 14 in dist. stands for the cor of sec. 24 & 25.
Sands rich and good for farming.

North On the East Boundary of sec. 24 T. 11. N. R. 37
40,00 Set apart for farm which
Birch 6 in dist. trees. S73 E. 14 units east, 8th
No. 30 " " " S88 77.33 " "
80,00 Set apart for the cor of sec. 13 & 24 from which
Sugar, 11 in dist. trees. N79 E. 17 units east, 8th
No. 30 " " " S27 77.34 " "

T. N. N. R. N. 37. 2nd Mr. Ind.

Ch. Upr.
Sander rolling and rich excellent farming land
Timber Birch, Sugar, Walnut, Ash, Elm,

North On the East Boundary of sec. 13 T. 11. N. R. 37.
19.11 Set apart for the cor of sec. 12 & 13 from which
40,00 Birch, 27 in dist. trees. S12 E. 13 units east, 8th
No. 12 " " " S65 E. 46 " "
80,00 Set apart for the cor of sec. 12 & 13 from which
Birch 27 in dist. trees. S21 E. 30 units east, 8th
No. 18 " " " S44 E. 30 " "
Sands the same as last mile.

North On the East Boundary of sec. 12 T. 11. N. R. 37.
40,00 Set apart for the cor of sec. 11 & 12 from which
Sugar, 27 in dist. trees. S31 E. 11 units east, 8th
Walnut 8 " " " S6 77.5 " "
73.50 Small Brook. Corner E
80,00 Set apart for the cor of sec. 11 & 12 from which
Birch, 20 in dist. trees. S10 77.25 units east, 8th
No. 24 " " " S3 E. 18 " "
Sands similar

North On the East Boundary of sec. 1 T. 11. N. R. 37.
40,00 Set apart for farm which
Birch 24 in dist. trees. S33 E. 23 units east, 8th
No. 24 " " " S54 77.10 " "
71.23 Set apart for the cor of sec. 11 & 12 N. R. 2 & 37.
Sands similar

North Boundary.
West On the Ranam line On the South Boundary of sec. 36.
6.05. Set apart for the cor of sec. 36.

T. N. N. R. N. 37. 2nd. Mm. Ind.

Land broken & very rich; Timber Hackberry, Sugar
Ash, Buck, Walnut, & Elm, N. Y. Spruce, Pawpaw.
Shrubs

East Return Dec. 13 & 24 T. N. N. R. 37.
2.02 Top Sugar. 12 in dia. in the m.
33.70 " " Buck 15 " " " "
36.50 " " Buck & 1 inch side, Coma. Lb.
40.00 Set apart from white
Buck 20 in dia. from. N 79 W. 20 to the east; B
No. 36 " " " " N 69 E. 45 "
48.50 Top Walnut. 13 in dia. in the m.
57.12 " " Buck 18 inch side, Coma. Lb.
46.59 Top Walnut. 16 in dia. in the m.
80.99 Set apart the East Branch 104 to the south of
the foot of of ear. 13 & 24 and set apart for the co
of ear 13 & 24 from white
Elm. 12 in dia. from. N 27 W. 8 to the east; B
Walnut. 13 " " " " S 59 W. 11 "
Land set apart with broken; 2nd spr. rolling, 2nd rate
Timber Sugar Buck & Walnut, Poplar, Ash &
Hackberry. N. Y. Spruce.

West Return Dec. 13 & 14 T. N. N. R. 37.
6.93 Top Buck. 24 in dia. in the m.
40.00 Set apart from white
Buck 24 in dia. from. N 84 W. 12 to the east; B
Sugar. 9 " " " " N 39 E. 12 "
41.92 Top Buck. 24 in dia. in the m.
68.00 Top Buck 16 inch side, Coma. Lb.
75.00 " " Spring East of the line. Co. E. S. E.
80.00 Set apart for the co of ear. 11. 12. 13 & 14 from white
Buck 24 in dia. from. N 62 E. 20 to the east; B

T. N. N. R. N. 37. 2nd. Mm. Ind. 497

Buck 24 in dia. from. N 21 W. 27 to the east.
Land broken. 2nd rate, Timber Buck, Sugar,
Ash Poplar, Oak, N. Y. Spruce & Shrubs

East Return Dec. 12 & 13 T. N. N. R. 37.
12.86 Top Buck 20 in dia. from in the m.
34.30 " " No. 10 " " " "
40.00 Set apart from white
Sugar. 15 in dia. from N 26 W. 18 to the east; B
Buck 6 " " " " S 35 W. 21 "
49.25 Top Buck. 23 in dia. in the m.
70.87 Top Buck. 13 " " " "
81.33 Set apart the East Branch 145 to the south of
the foot of of ear. 12 & 13. Set apart for the co of
ear 12 & 13 from white
Buck 24 in dia. from. N 57 E. 18 to the east; B
No. 30 " " " " S 27 W. 49 "
Land 1st spr. (mile) from N 2nd rate, 2nd spr. rolling
in 2nd rate, Timber Buck, Sugar, Poplar,
& Hickory. N. Y. Spruce & Pawpaw.

West Return Dec. 11 & 12 T. N. N. R. 37.
No. 13 Top Poplar. 34 in dia. in the m.
34.37 Top Buck. 20 " " " "
40.00 Set apart from white
Sugar. 15 in dia. from. N 48 W. 11 to the east; B
No. 14 " " " " S 36 E. 24 "
43.13 Top Buck 22 in dia. in the m.
75.56 " " No. 13 " " " "
80.00 Set apart for the co of ear. 1. 2. 11 & 12 from white
Sugar 24 in dia. from. N 54 W. 12 to the east; B
Buck 16 " " " " S 46 E. 30 "
Land 1st spr. with land 2nd rate; 2nd spr. rolling

T. N. N. R. No 37. 2nd Mm. Ind.

2nd rate; Timber Beak, Poplar, Sugar, &
Walnut, Wg Spruce.

East Oakham arm line between Dec 1812 T. N. N. R. 37
363 To Beak 32 in dist. in the river.
35.45 " " 18 " " " " " "
40.00 Set a post from which
Ash 36 in dist. bears S 32 W 25 1/2 mts east; 30
Walnut 18 " " " N 49 E 38 " "
47.83 To an Ash 20 in dist. in the river.
71.23 " a Beak 12 " " " " " "
80.82 Enter cut the East R.R. 140 mts South of the post
cut of cut. 1812 and set a post for the cut of cut.
1812 from which
Beak 21 in dist. bears N 26 W 14 1/2 mts and 30
No. 12 " " " N 71 E 18 " "
Sugar rolling & 2nd rate; Timber Beak ash
Sugar & Poplar, Wg Spruce.

North Between Dec 1812. T. N. N. R. 37.
4.63 To Beak 8 in dist. in the river.
32.32 " Sugar 20 " " " " " "
40.00 Set a post from which
Walnut 20 in dist. bears S 19 W 11 1/2 mts east; 30
Heak 11 " " " N 14 E 55 " "
48.60 To an Elm 13 in dist. in the river.
66.11 To Ash 20 " " " " " "
74.11 Enter cut the N.R. 53 mts East of the post
cut of cut 35 & 36. T. 12 N. R. 37 and set a post
1812 from which
Beak 8 in dist. bears S 5 E 25 1/2 mts east; 30
Heak 15 " " " N 67 W 17 " "
Lead Hilly track & 2nd rate. Timber Beak, Ash

T. N. N. R. No 37 2nd Mm. Ind.

Poplar Walnut, & Sugar, Wg Spruce.
November 8. 1819.

South Oakham arm line between Dec 34 & 35 T. N. N. R. 37
20.00 To Brook to land, near, corner &c.
40.00 Set a post 70 supst.
81.00 Enter cut the South R.R. 29 mts West of the post cut
of cut. 34 & 35.
Lead Beak & Timber Beak, Lead Soil.

North Oakham line between Dec 34 & 35. T. N. N. R. 37.
40.50 Set the post 70 supst. at the end in the river
from which Beak 10 in dist. bears N 10 E 31 1/2 mts
and 18 " " " S 45 W 25 " "
81.00 To the post cut of cut. 26, 27, 34 & 35.

West Between Dec 26 & 35. T. N. N. R. 37. N. 64 W E
40.00 Set a post from which
Hogwood 5 in dist. bears S 12 E 6 1/2 mts east; 30
Sugar 6 " " " N 22 W 17 " "
42.50 To spring branch corner &c.
40.00 " " " " " "
80.00 Set a post for the cut of cut. 26, 27, 34 & 35 from
which Beak 7 in dist. bears S 22 W 17 1/2 mts east
and 14 " " " N 24 E 15 " "
This mile post rolling & part broken, with low
steep hills Timber Beak, Sugar, & Poplar.

North Between Dec 26 & 27 T. N. N. R. 37 N. 64 W
40.00 Set a post from which
Beak 12 in dist. bears N 82 E 9 1/2 mts east; 30
No 18 " " " N 66 W 26 " "
80.00 Set a post for the cut of cut. 22, 23, 26 & 27 from which

I. N. P. N. 372^m m. Ind.

Sugar, Win. air. trees. N.E. 34 mts. mt.; 3rd
 Bush 9 " " ; South 24 " "
 Sand South 1/2 mt. Timber Bush, North 7
 mt. Timber Bush, Sugar, ash Walnut, rich
 soil good lands for farming

East.
40,00 Return Dec 23rd 96. T.M.N.R. 37. v. 6.00 E
Let apart from white
92 bush 8 in dia. trees N34 E by 1 mts dist. Ba
No. 24 , , S32 W. 14 , ,
60.00 Look Brook 10 mts midy, comes N.E.
70.00 " No. 4 , , N.W.
8000 Let apart for the co. open 23.24.25th 96. From
a 92 bush 10 in dia. trees N60 W. 17 mts dist
and a No. 15 , , S64 E. 35 , ,
Most of this mt. is nat soil. Timber some
some sink holes good land for farming

North
4000
8000

Between Dec. 22 & 23. 11. AM 3 M. 7. to 4.0 E.
Set a 7^m suprost from which,
Back 14 in air. beam. 50 W. 13 units, met. 3a
No. 12 4 4 4 4. 135 E. 26 4 4
Set a post for the ca of sup. 14 15, 22 & 23 from which,
Back 9 in air. beam. 61 E. 8 units, met. 3a
No. 8 4 4 4 4. 188 W. 24 4 4
Low hilly or rolling land; and set. rate for Yam
ing Smith same.

East
2.50
23.16.

Between Dec 14 & 23. I. H. NW 3M.
To a Brook, 12 miles wide, Lee. So.
Intersect the N.E. 137 of Harrison's Purchase
and set apart for the cogens 14 & 23 from which
Buck 6 in dist. time. S 27 N. 11 miles out, Ba

S. N. N. N. N. N. 37. 2nd Mm. Ind. 501

Sagon 24 in m^o bus. S25 C. 16 m^o bus. m^o bus.
Soudo good for farming.

West Quakamline between Dec 14 & 23. T.H. ARS 7.
29.80 To a brook 38 miles mid, Conner L.
40.00 Sitwatump 7 1/4 up road.
58.79 Intersect the N.E. Borneo of Harrison's Purchase
35 miles on new North Carolina making the length
of line 57.37.
Send Broker. 2nd rate, Timber Beet,
Sugar, ash, Hackberry, & Poplar.

East Cyth Saw him between Sec. 14 & 23. J. H. H. R. 3
17.10. Set the trap 7 m. east at the ar. dist on the line from
from white, Bush 5 m. near base. B3 & 4 also dist.
under L. 12 & 3, 4, 5, 6, 7, 8, 9
33.76 Set the trap on 13.14. 23 & 24.

Brook 17.33 Between Sec 14 & 15 T11 N R 37E. r. 6° 40' E
 Lake cut the N.E. Corner of Harris in. Pm.
 and set apart for the cor of sec 14 & 15 from which
 Brook 14 in dist. bears N 137° 13' true east. 30
 100 18 " " " 6536. 27 " "
 Good land for farming

North 930 yds. Sec. 14 & 15 T. 11 N. R. 37 W.
404 Sugar. 12 in dia. with rim.
22.67 Set a post from white,
Sugar 13 in dia. bears N 34 1/2 W. 23 units east, 10
Buck 8 " " " S 52 E. 35 " "
31.50 Sugar. 11 in dia. with rim,
80.00 Set a post from cen of sec. 10 11. 14 & 15 from white,
Buck 12 in dia. bears N 77 W. 27 units east, 30
Top 6 " " " S 38 E. 9 " "
Scum rolling 2nd rate, Limb 9 Buck, Sugar.

T. N. N. R. 3rd. 2nd. 1st. Ind.

Poplar, Hickory Ash, Oak, 78 Spruce

West Oak Random line between Dec 11 1874 T. N. N. R. 3rd.

39.46 Top Branch 35 links mid, corner 1

40.00 Set a trap 7 1/2 up post.

79.78 Set out the N. R. 3rd line 6 links South of the post.

Cor of sec 10. 11. 14 & 15.

Sund 1st 1/2 mile broken, 2nd rate 2nd 1/2 broken, with sink holes. Timber Beech, Sugar, Oak Poplar, & Oak.

East Oak line between Dec 11 1874 T. N. N. R. 3rd.

39.89 Set the trap 7 1/2 up post at the arched on the line from which, 13 Walnut, 7 in dist. from. N. 78 N. 40 to dist

under 7 Oak. 44 " " S 88 E 28 "

79.78 To the cor of sec. 11. 12. 13 & 14.

Nov. 6. 1879

North Between Dec 10 1871 T. N. N. R. 3rd.

9.54 Top Branch 14 in dist. with mi.

40.00 Set a trap up post from which, Branch 18 in dist. from. S 84 E. 26 links east, 30 Sugar. 6 " " N 84 W. 11 " "

40.28 Top Branch 31 in dist. with mi.

43.97 Top 20. 36 " " " "

80.00 Set a post for the cor of sec. 2, 3, 10 & 11 from which, Sugar 4 in dist. from. S 86 E. 17 links east, 30 Branch 15 " " N 76 W. 8 " "

Sund rolling land 2nd rate, Timber Beech, Ash, Sugar, Poplar, Oak, Hickory, 78 Spruce

West Oak Random line between Dec 20 1871 T. N. N. R. 3rd.

40.00 Set a trap 7 1/2 up post.

T. N. N. R. N. 3rd. 2nd. 1st. Ind.

79.56 Set out the West Branch 4 links South of the post

Cor of sec 2, 3, 10 & 11.

Sund broken 2nd rate, Timber Beech, Sugar, Poplar, &c. 78 Spruce, &c.

East Oak line between Dec 20 1871 T. N. N. R. 3rd.

39.78 Set the trap 7 1/2 up post at the arched on the line from which, Branch 24 in dist. from. S 55 E. 27 links dist

under Sugar. 20 " " N 39 W. 23 " "

79.56 To the cor of sec. 1. 2. 11 & 12.

North Between Dec 20 1871 T. N. N. R. 3rd.

9.65 Top Branch 24 in dist. with mi.

33.10 To a Sugar. 15 " " " "

40.00 Set a trap up post from which, Branch 24 in dist. from. S 11 E. 31 links east, 30 Sugar. 12 " " N 37 W. 46 " "

42.70 Top Branch 30 in dist. with mi.

68.70 " Do. 14 " " " "

73.26 Set out the N. Branch 259 links East of the post

Cor of sec 34 & 35. T. 12 N. 3rd and set a post for the

" " N 13 from which

Branch. 13 in dist. from. N 75 E. 16 links east, 30

Do 22 " " " " " "

Sund rolling land 2nd rate, Timber Sugar, Beech, Walnut, & Poplar, 78 Spruce & Pampow

Nov. 5th 1879

South Oak Random line between Dec 33 1874 T. N. N. R. 3rd.

40.00 Set a trap 7 1/2 up post.

66.00 To a spring branch, 8 links mid corner 11.

76.00 To a spring branch " " " "

80.50 Set out the E. N. line 16 links West of the post cor

T. N. H. R. No. 372nd 7m. Ind.

of sec 33 & 34. Land suitable for farming; South to my brother.

North On the line between Sec 23 & 34 T. 11 N. R. 37 W.

40.25 Set the trap 7/4 cup at the creek on the line from which Elm 8 in dist. N. 16 E 25 No dist, and Sec 34.

80.50 Set the post corner 27.28, 33 & 34

West Bottom Sec 27 & 34 T. 11 N. R. 37 W. 16° 40' E.

2.51 To spring branch corner

40.00 Set a post from which
Beck 11 in dist. N. 48 E 34 miles dist. 9 &
10 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34

80.00 Set a post for the corner of sec 27, 28, 33 & 34 from which
a W. Beck 5 in dist. N. 55 E. 10 miles dist
and Sec 34. 21 N. 28 E.
Land here generally timber, brush, sugar, poplar & oak, 2nd rate muddling good farming land.

North Bottom Sec 27 & 28 T. 11 N. R. 37 W. 16° 40' E.

32.00 To Brook 8 miles, Sec 34.

40.00 Set a post from which
Maple 7 in dist. N. 56 E 12 miles dist, 30
Poplar 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34

44.00 To spring corner N.

49.00 " " " "

80.00 Set a post for the corner of sec 21, 22, 27 & 28 from which
Beck, 9 in dist. N. 42 E 29 miles dist, 80
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34
Land part broken & part good land for farming.

T. N. H. R. No. 372nd 7m. Ind. 505

East On the line between Sec 22 & 27 T. 11 N. R. 37 W.
6.00 To Brook 10 miles, Sec 34.

40.00 Set a trap 7/4 cup at.

79.65 Set the post for the N. & S. line 70 miles South of the post
corner of sec 22, 23, 26 & 27.

Land here and muddling good land for farming
timber, brush, sugar, oak.

West On the line between Sec 22 & 27 T. 11 N. R. 37 W.

39.82 Set the trap 7/4 cup at the creek on the line from which
Beck 15 in dist. N. 52 E 18 miles dist
and Sec 34. 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

79.65 Set the post corner of sec 21, 22, 27 & 28.

North Bottom Sec 27 & 28 T. 11 N. R. 37 W.

2.00 To Brook 10 miles, Sec 34.

12.00 " " " "

40.00 Set a post from which
Beck 6 in dist. N. 57 E 12 miles dist, 30
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100

80.00 Set a post for the corner of sec 15, 16, 21 & 22 from
which Beck 12 in dist. N. 58 E 24 miles dist
and Sec 34. 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100
Land muddling land and good for farming
timber, brush.

East On the line between Sec 22 & 27 T. 11 N. R. 37 W.

40.00 Set a trap 7/4 cup at.

78.94 Set the post for the N. & S. line 12 miles South of the post
corner of sec 24, 25, 23 & 23.

Land similar to the Brook.

West On the line between Sec 22 & 27 T. 11 N. R. 37 W.

T. N. B. N. R. N. 3 M 2nd M. Ind.

3947 Set the traps, 7th report at the car dist. on the new line
from which Sugar 12 in dist. from. 46 E. 38 W. with
andew No. 184 " " N 33 W. 17 " "
78.94 Set the post on the new line 15.16.21.22

North Return Sec 15 & 16 T. 11. N. R. 3 M. 46° 40' 8"
37.00 To a small Brook across the
40.00 Set a post from which
Buck 5 in dist. from. 18 W. 18 N. with dist. 30
Sugar 12 " " N 31 E. 27 " "

61.00 To a Brook. 10 links wide, across the
77.83 Into cut the N. E. corner of Harrison's Purchase
and set a post further on of Sec 15 & 16 from
which Buck 27 in dist. from. N 44 E. 13 W. with
andew No. 5 " " S 37 W. 31 " "
Sound maddling land Timber sum. 2nd rate
and

North Return Sec 15 & 16 T. 11. N. R. 3 M.
Began on Harrison's Purchase line
2.17 Set a post further on of Sec 9. 10 & 15 & 16 from which
Sugar 9 in dist. from. N 44 E. 26 W. with dist. 30
Poplar 48 " " S 37 E. 37 " "
Sound land and 2nd rate; Timber Buck,
Sugar Hick & Poplar, Spruce, Ash

West On a Random line between Sec 10 & 15 T. 11. N. R. 3 M.
40.00 Set a trap for a post.
77.56 Into cut the N. E. corner of 113 links North of the
post on of Sec 9. 10 & 15 & 16.
Sound land and 2nd rate; Timber Buck,
Ash Oak & Poplar, Hick and Ash, N. Spruce

East On the line between Sec 10 & 15 T. 11. N. R. 3 M.

T. N. B. N. R. N. 3 M 2nd M. Ind. 507

38.28 Set the traps, 7th report from which
Buck 22 in dist. from. N 68 W. 14 W. with dist. 30
Sugar 7 " " S 66 E. 28 " "

North Return Sec 9 & 10 T. 11. N. R. 3 M.

10.40 To a Poplar. 16 in dist. in the line.

31.77 " " Ash 20 " " " "

40.00 Set a post from which
Ash 24 in dist. from. S 54 E. 13 W. with dist. 30
Buck 18 " " " " S 56 E. 17 W. 9 " "

46.85 To a N. Oak 40 in dist. in the line

80.00 Set a post further on of Sec 9 & 10 from which
Buck 5 in dist. from. N 83 E. 13 W. with dist. 30
Oak 6 " " " " S 79 W. 11 " "
Sound rolling and 2nd rate; Timber Buck, Oak
Poplar, Sugar Walnut, & Oak, Spruce & other shrub,

West On a Random line between Sec 3 & 10 T. 11. N. R. 3 M.

40.00 Set a trap for a post.

54.00 To a spring North of the line running a N. corner

77.27 Into cut the N. E. line 260 links North of the post
on of Sec 3 & 4 & 9 & 10

Sound rolling and 2nd rate; Timber Buck, Sugar
Ash, Poplar, Walnut, Spruce & some ash, N. Spruce

East On the line between Sec 3 & 10 T. 11. N. R. 3 M.

38.63 Set the traps, 7th report at the car dist. in the new line
from which Buck 33 in dist. from. N 40 E. 10 W. with
andew Sugar 5 " " " " S 67 W. 16 " "

77.27 To the post on of Sec 2, 3, 10 & 11.

North Return Sec 3 & 10 T. 11. N. R. 3 M.

10.03 To a Sugar 18 in dist. in the line.

T. N. H. N. R. N. 3rd 2nd Mr. Ind.

49.00 To a Brook 15 miles mid, corner S. N.
 80.00 Set a post for the corner 16.17.20.21 from which
 Sugar 15 in dist. here. S 51 E. 26 miles dist. 30
 Buck 20 " " " N 49 W 57 " "
 The north 3/4 1st rate land.

East Quaker arm line between Sec 16 & 21. T. N. H. N. R. 3rd
 10.00 To a Brook 20 miles mid, corner S.
 40.00 Set a 7th support from 7
 78.47 Set out the N. W. line 33 miles North of the post on
 of sec. 15, 16, 21 & 22.
 Same as the same as last mile.
 Rolling land. Excellent for farming

West On the line between Sec 16 & 21. T. N. H. N. R. 3rd
 39.23 Set the temporary support at the corner on the line
 from which Sugar 12 in dist. here. S 14 W. 14 miles dist
 corner N 48 E. 12 " " N 60 E. 14 " "
 78.47 Set the post on of sec. 16.17.20 & 21.

North Return Sec 16 & 17. T. N. H. N. R. 3rd
 40.00 Set a 7th support from which
 Buck 9 in dist. here. N 87 W. 5 miles dist. 30
 Sugar 18 " " S 8 E. 17 " "
 48.00 To a Brook 8 miles mid, corner S. E.
 80.00 Set a post for the corner 8.9.16 & 17 from which
 Buck 9 in dist. here. N 56 W. 18 miles dist. 30
 18 " " S 62 E. 18 " "
 Land part low and part rolling and 2nd rate. Soil
 Timber Buck, Sugar, Poplar, & Ash.

East Return Sec 9 & 16. T. N. H. N. R. 3rd
 38.00 To a Brook 10 miles mid, corner S. E.

I Certify that this Volume containing a true Record
 of the field notes of the public surveys indicated
 therein, contained on pages One to five hundred
 and ten inclusive; the same having been Care-
 fully compared with the Original field notes
 on file in this Office.

Surveyor General's Office William Shustor
 Cincinnati, May 1st 1845 Sur. Genl.

T. N. H. R. N. 377 2nd Mer Indiana

ch. 16
4000 Set the c. support from which
Beck 11 in dist. bears N 80 E 20 links east; 3 a
Do 13 " " S 68 W 13 "
75.16. Intersect the N.E. Boundary of Harris's Purchase
and set apart for the c. of tract S. 9 1/2 1/2 from which
Beck 9 in dist. bears S 21 E 9 links east; 3 a
Do 9 " " N 36 W 14 "
Land middling best Timber some good 2nd rate
Aid good farming land.

West Between S. 9 1/2 1/2 T. N. H. R. 377 One Hundred
3.06. Intersect the N.E. Boundary of Harris's Purchase 56
links S.E. of the c.
Length of line at Right angles with corner 339 1/2.

East On the line line between S. 9 1/2 1/2 T. N. H. R. 377
339 To the c. of S. 9 1/2 1/2.

North Between S. 8 1/2 1/2 T. N. H. R. 377 6° 40' E.
4000 Set a c. support from which
Sugar 8 in dist. bears N 75 E 7 links east; 3 a
Do 9 " " N 75 W 20 "
53.45. Intersect the N.E. Boundary of Harris's Purchase
and set apart for the c. of tract S. 8 1/2 1/2 from which
Sugar 7 in dist. bears N 87 E 20 links east; 3 a
Beck 7 " " S 69 W 28 "
Land the same as last mile except better hills.

North Between S. 8 1/2 1/2 T. N. H. R. 377
0.23. To an Ash 36 in dist. in the mid.
17.80. To an Ash 36 in " " "
24.55. Set apart for the c. of S. 4 5.8 1/2 1/2 from which
Sugar 6 in dist. bears N 66 W 11.5 links east; 3 a
Beck 13 " " S E 31 "

I N° 11 N R N° 3 N 2^{na} Mm. Ind.

Swiss valley & rich Limbs Buck, Ash, Spruce,
Poplar & Walnut, W. of Spain,

West Ozarkanna bin betwen Sec 489 T11. N11. E11

4000 Set a temper 7 1/2 supst

78.46 Intersect the N.W. line 4 miles South of the post on of
Sec. 4, S. 8 & 9

East On the Iowa line between Sec. 4 & 9 T9N, R3E

39, 23 Set the tamping 1/2 in apart at the arch end on the same line
from which, Eugen 18 in dia. hole. St 57. 19 1/2 in dia.

Ark 18, 1906

78.46. *Totm* ca of sw. 3 47 000.

Sawdust, 2nd rate, Lumber, Bech, Sugar,
Poplar, Ash, &c. 119 Spies, & other shunts

North Return Sal. 443 T.M. N.R. 317

2. 17 1/2 in dia. in the middle

1750 "y 20. 18

40,000 Self ap^d report from orchards

Sugar 10 in dist. base. N.E. 27 mts, met, ga

Burl. 23^d Sep 7 20

49.25. To am. Ash 24 in dist. in the Min.

66 12 To a Poplar 60 1 1 1 1 1

74. 88. Intersect the A.R. boundary 711 miles East of the West
co. of sec. 32 & 33. T. 12 N. R. 3 W. on a set as "

" " " 455 from white

Ninky Min dear friends. B4p 1725 the notes of a
Buck 11

Buck 10 " " " N 56 E. 26.

Quercus 82nd rate Timber Beech, Poplar,
and Sugar, My Spine.

I N^o U. S. R. N^o 37 D^ra Mm. Ind^a

South Onakrandum line between S. 3432, T. 11 N. R. 3 W.
20 00 T. 12 S. R. 3 W.

20 00 To Brook 12 With mid, course E.

40.00 Set a temporary $\frac{1}{4}$ in. support.

7996. Inset the Simple 30 mts West of the head cr of
Sep 31832 Some low hills & some what broken.
Timber Birch, Sugar, Poplar, & Buckeye

North Bitumin Sept 31 1833 T 11.11.37

3998. Set the traps? In expect at the air suit on the iron wire
from which, Bush 14 in. dist. from. 1897. 22 Apr. dist.

Under 6
 14 3 3 20

1796. In the cn of sur. 29 30 31 32.

West Return Sat. 29/132 T. 11.1 R. 37

5.50 Top Brook. 10 links with Co. S.

40,000 Separate from which
Eng. 18 in air lions. A6371.14 units onst. Ga
No. 12

La. 12, 4 " 16311.14 mts.
T. 13, 1 " " S40 E. 17 "

58.00 To York Brook. 15 mts only, Corns &

80,000 Get a post for the car of sub. 29 30 31 32 from
whites, Sugar 9 in dia. beam. MS & 4 up dia.

Audax L. 16 " " " N86 M1,
Dance for 14 M.

Second tier Holly ends semi what broken.

Met Return Sw. 30731 11. APR 3 M

4000 Let a 7th suspect from white,

Sept 11 in drat' house N 70 E. 3 mts dist, of a
 1818

201 18 " " " " " "
Det. 2 2 2 2 2 2 2 2

B.C. 11

73.20 Enter suit the West Bonnet at the cor of sec 35th
Land. East 1/2 sec. West 1/2 sec. Timber Bush,
Poplar, Sugar, &c. Good for farming.

And Return Dec 29/30. I. H. R. 37M

T. N. N. R. N. 372nd Mm. Ind.

East On the line between Sec 588 T11 N R 37
33.03 To the cor of sec. 4, 5, 8 & 9.

West Between Sec 6 & 7 T11 N R 37 v. 631 E.
40.00 Set a p. supst from which,
Sugar. 9 in dia. trans East 21 links east, 30
W. Ash. 27 " " West 29 "
67.78 Intersect the West Boundary 3 links South of the
spot cor of sec. 1042 T11 N R 47 and set a
" " " 67 from which,
" " " 9 in dia. trans. S 78 E 5 links east, 30
" " " 6 " " " N 41 W 20 " "
Sound the same.

North Between Sec 5 & 6 T11 N R 37 v. 640
35.00 Intersect the N. Boundary of Harris's Purchase
and set a post In the cor of Sec. 5 & 6 from which,
Sugar. 18 in dia. trans East 14 links east, 30
" " " 9 " " " S 42 W 34 " "
Sound the same.

North Between Sec 5 & 6 T11 N R 37
On Boundary line of Harris's Purchase
3.50 To a Poplar. 66 in dia. in the line.
5.00 Set a p. supst from which,
" " " 36 in dia. trans. N 75 W 3 links east, 80
Sugar. 14 " " " S 86 E 14 " "
44.38 Intersect the N. Boundary 683 links East of the
spot cor of Sec. 31 & 32 T12 N R 37 and set a
" " " 586 from which,
" " " 4 in dia. trans. N 97 W 11 links east, 30
" " " 3 " " " S 11 E 87 " "
Eight rods to the last p. mile viz.

T. N. N. R. N. 372nd Mm. Ind.

11.73 To a Buck 24 in dia. in the line.
39.50 " " Red Oak 48 " " " " "
Land Broken into Buck & Oak,
The part of this Township lying in Harris's Purchase
was surveyed by William Harris, Esq.
The part lying North of Harris's Purchase
was surveyed by John Midway, Esq.

Complete

I certify that the foregoing Transcript of the full
note of Township N. 11. North of Range No. 3
West of the 2nd Principal Meridian, in Indiana
has been compared with the Original notes
in this Office, and found to be correct.
Surveyor General's Office,
Cincinnati, Dec. 5, 1841